



Test Report : IOB-15-03

15W AC-DC Industrial On Board Type Power Module

■ DESIGN VERIFY TEST

Output Function Test

Input Function Test

Protection Function Test

■ SAFETY TEST

Safety Test

■ RELIABILITY TEST

Environment Test

Other test

DESIGN VERIFY TEST

OUTPUT FUNCTION TEST

NO	TEST ITEM	SPECICATION	TEST CONDITION	RESULT	VERDICT
1	RIPPLE & NOISE	150 mVp-p (Max)	I/P:230VAC O/P:FULL LOAD Ta:25°C	38 mVp-p	P
2	VOLTAGE TOLERANCE	-3% ~ +3%	I/P:85VAC~305VAC O/P:FULL~MIN. LOAD Ta:25°C	-0.35%	P
3	LINE REGULATION	-0.5% ~ +0.5%	I/P:85VAC~305VAC O/P:FULL LOAD Ta:25°C	-0.1% ~ +0.0%	P
4	LOAD REGULATION	-2% ~ +2%	I/P:230VAC O/P:FULL ~MIN LOAD Ta:25°C	-0.40% ~ +0.45%	P

INPUT FUNCTION TEST

NO	TEST ITEM	SPECICATION	TEST CONDITION	RESULT	VERDICT
1	VOLTAGE RANGE	85VAC ~ 350VAC	I/P:TESTING O/P:FULL LOAD Ta:25°C	23V ~ 305V	P
2	FREQUENCY RANGE	47HZ - 60HZ (Typ) NO DAMAGE OSC	I/P: 85VAC ~ 305VAC O/P:FULL~MIN LOAD Ta:25°C	TEST: OK	P
3	EFFICIENCY	75%	I/P:230VAC O/P:FULL LOAD Ta:25°C	82.43 %	P
4	AC CURRENT	0.4 A (Typ)	I/P: 100VAC O/P:FULL LOAD Ta:25°C	0.209 A	P
5	INRUSH CURRENT	< 35A COLD START	I/P:230VAC O/P:FULL LOAD Ta:25°C	15.6 A	P
6	NO LOAD POWER CONSUMPTION	< 0.25W (Max)	I/P:230VAC O/P: NO LOAD Ta:25°C	0.038 W	P

PROTECTION FUNCTION TEST

NO	TEST ITEM	SPECICATION	TEST CONDITION	RESULT	VERDICT
1	SHORT PROTECTION	SHORT OUTPUT 1 HOUR NO DAMAGE	I/P:305VAC O/P:FULL LOAD Ta:25°C	NO DAMAGE HICCUP MODE RESET AUTO RECOVER	P
2	OVER LOAD PROTECTION	>110%	I/P:230VAC O/P:TESTING Ta:25°C	159.3% HICCUP MODE RESET : AUTO RECOVER	P

3	OVER VOLTAGE PROTECTION	YES	I/P:230VAC O/P:MIN LOAD Ta:25°C	PROTECTION TYPE: OUTPUT VOLTAGE CLAMP	P
---	-------------------------	-----	---------------------------------------	---	---

SAFETY TEST

SAFETY TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	WITHSTAND VOLTAGE	I/P-O/P:3000 VAC/min	I/P-O/P:3000 VAC/min Ta:25°C	I/P-O/P: <5mA NO DAMAGE	P
2	ISOLATION RESISTANCE	I/P-O/P:500VDC>100MΩ	I/P-O/P:500 VDC Ta:25°C	I/P-O/P>100MΩ NO DAMAGE	P

RELIABILITY TEST

ENVIRONMENT TEST

NO	TEST ITEM	SPECICATION	TEST CONDITION	RESULT	VERDICT																																									
1	TEMPERATURE RISE TEST	1. ROOM AMBIENT BURN-IN : 4HRS I/P:230VAC O/P:100% LOAD Ta=25°C 2. HI AMBIENT BURN-IN : 4HRS I/P:230VAC O/P:100% LOAD Ta=55°C 3. HI AMBIENT BURN-IN : 4HRS I/P:230VAC O/P:10% LOAD Ta=80°C <table><tr><th>NO</th><th>Position</th><th>1</th><th>2</th><th>3</th></tr><tr><td>1</td><td>BD1</td><td>46.1°C</td><td>76.1°C</td><td>86.7°C</td></tr><tr><td>2</td><td>D3</td><td>43.8°C</td><td>73.8°C</td><td>85.6°C</td></tr><tr><td>3</td><td>D5</td><td>68.5°C</td><td>98.5°C</td><td>86.8°C</td></tr><tr><td>4</td><td>Q1</td><td>62.9°C</td><td>92.9°C</td><td>88.2°C</td></tr><tr><td>5</td><td>U1</td><td>48.4°C</td><td>78.4°C</td><td>86.3°C</td></tr><tr><td>6</td><td>T1 線圈</td><td>61.1°C</td><td>91.1°C</td><td>87.1°C</td></tr><tr><td>7</td><td>T1 鐵芯</td><td>56.9°C</td><td>86.9°C</td><td>86.3°C</td></tr></table>			NO	Position	1	2	3	1	BD1	46.1°C	76.1°C	86.7°C	2	D3	43.8°C	73.8°C	85.6°C	3	D5	68.5°C	98.5°C	86.8°C	4	Q1	62.9°C	92.9°C	88.2°C	5	U1	48.4°C	78.4°C	86.3°C	6	T1 線圈	61.1°C	91.1°C	87.1°C	7	T1 鐵芯	56.9°C	86.9°C	86.3°C		P
NO	Position	1	2	3																																										
1	BD1	46.1°C	76.1°C	86.7°C																																										
2	D3	43.8°C	73.8°C	85.6°C																																										
3	D5	68.5°C	98.5°C	86.8°C																																										
4	Q1	62.9°C	92.9°C	88.2°C																																										
5	U1	48.4°C	78.4°C	86.3°C																																										
6	T1 線圈	61.1°C	91.1°C	87.1°C																																										
7	T1 鐵芯	56.9°C	86.9°C	86.3°C																																										
2	LOW TEMPERATURE TURN ON TEST	TURN ON AFTER 2 HOURS	I/P : 230VAC O/P : 100%LOAD Ta= -20°C	TEST : OK	P																																									

OTHER

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	MTBF	MIL-KDBK-217F NOTICES 2 PARTS COUNT TOTAL FAILURE RATE : 0.1 M.T.B.F : >10000KHRS			P

TEST RESULT	TESTER	APPROVAL
-------------	--------	----------



PASS	ARCHEN HSIAO	PETER CHENG
------	--------------	-------------